



## 4GPM GEAR PUMP FOR OIL

SKU: gs4



**Price:** \$987.00

**Categories:** [Heavy Oil Pumps](#), [Oil Transfer Pumps](#) |

## SPECIFICATIONS

<b>Weight</b>	50 lbs
<b>Dimensions</b>	20 x 14 x 16 in
<b>Fluid</b>	Heavy Oils like Gear Oil, Motor Oil
<b>Voltage</b>	120V, 230V, 460V, 3 Phase
<b>Speed</b>	4-7GPM



## **PRODUCT DESCRIPTION**

### **Additional Specs:**

\*Dimensions: 17" long x 11" wide x 7" tall (43 cm x 28 cm x 18 cm)

\*Weight: 45lbs

\*Self Priming

\*Suction Height: 15ft

\*Push Lift Height: 90ft

\***Reversible** - Rewire or add a switch to allow dual directional flow!

\*Viton Seals

\*B100 compatible

\*Temperature Rating of 375°F

\*Duty Cycle: Continuous

\*Priming: Self priming

\*4gpm, 1/2" NPT threaded ports

\*Pump needs oil to lubricate the gears. Will not work with water.

### **Motor Specs**

\*Commercial Duty

\*Output: 1HP

\*Speed: 1750 RPM

\*Volts: 120/230 or 3 Phase 480v

\*Hertz: 60

\*Shaft Size: 5/8"

\*Shaft Woodruff Key: 5 mm width x 5 mm deep x 16 mm length

\*Motor Base Mount: 4.5" Long x 6.56" Wide

### **Pumphead Specs**

\*Bolt Pattern: 7 mm holes on a 85 mm circle

\*Shaft Size: 14 mm keyed shaft

\*Shaft Woodruff Key: 5 mm width x 5 mm deep x 12 mm length

\*Viton Seals

\*Self Priming

\*Cast Iron

\*1/2" NPT Ports

\*No Pressure Regulator

## **RELATED PRODUCTS**



[Super HD Heavy Oil Transfer Pump](#)



[480V Oil Pump at 12GPM](#)



[Oil Pump Hose Kit - 1.25 inch](#)



[Food Grade Stainless Oil Circulating Pump 2GPM](#)

Since 2009, we have been supplying portable and stationary pumps for moving all types of oil. Oil cleaning centrifuges are also important tools to re-use oil as fuel or lubricant.

**Contact Us:**

2121 Natomas Crossing STE 200-218  
Sacramento, CA 95835  
1-888-959-9311  
[info@alternativefuelmecca.com](mailto:info@alternativefuelmecca.com)

