




FUEL AND OIL TANK TRANSFER HOSE 1.5"

SKU: fh15-25



Price: ~~\$399.00 – \$1,449.00~~  
\$379.05 – \$1,376.55

Select Options & Add to cart


Vacuum rated hose for moving oil and fuel quickly. 150PSI  
Comes with camlock or npt fittings installed on the end.  
25' and 50' Lengths  
Categories: [Hose](#), [Misc. Pump Products](#) |



VARIATIONS

| Image | SKU     | Stock Status | Stock Quantity | Description | Length in Feet | Price                               |
|-------|---------|--------------|----------------|-------------|----------------|-------------------------------------|
|       | fh15-25 |              |                |             | 25'            | <del>\$399.00</del> <u>\$379.05</u> |
|       | fh15-25 |              |                |             | 50'            | <del>\$749.00</del> <u>\$711.55</u> |



| Image                                                                            | SKU     | Stock Status | Stock Quantity | Description | Length in Feet | Price                        |
|----------------------------------------------------------------------------------|---------|--------------|----------------|-------------|----------------|------------------------------|
|  | fh15-25 |              |                |             | 100'           | \$1,449.00 <u>\$1,376.55</u> |

## SPECIFICATIONS

|                |                 |
|----------------|-----------------|
| Weight         | 25 lbs          |
| Dimensions     | 20 x 15 x 20 in |
| Length in Feet | 25', 50', 100'  |

## PRODUCT DESCRIPTION

- Designed for transfer of gasoline, oil & other petroleum based products where maximum flexibility is needed; excellent kink resistance.
- Excellent for suction & discharge of seawater, oil based mud, & other general purpose uses.
- Suitable for up to 50% aromatics.
- Designed for transfer of gasoline, oil & other petroleum based products where maximum flexibility is needed; excellent kink resistance.
- Excellent for suction & discharge of seawater, oil based mud, & other general purpose uses.
- Suitable for up to 50% aromatics.

## RELATED PRODUCTS



**1.5HP ABB ACS 150 VFD**



**3HP VFD for 25GPM Pump Indoor**



**Replacement Thermostat**



**Stainless Steel 12GPM Oil Transfer Pump Head**

Since 2009, we have been supplying portable and stationary pumps for moving all types of oil. Oil cleaning centrifuges are also important tools to re-use oil as fuel or lubricant.

### Contact Us:

2121 Natomas Crossing STE 200-218



**Alternative Fuel Mecca**

2121 Natomas Crossing STE 200-218

Sacramento, CA 95835

1-888-959-9311

[info@alternativefuelmecca.com](mailto:info@alternativefuelmecca.com)

---

Sacramento, CA 95835

1-888-959-9311

[info@alternativefuelmecca.com](mailto:info@alternativefuelmecca.com)

