



IN LINE SUCTION STRAINER 1"

SKU: ilss1



Price: \$40.00

[Add to Cart](#)

Categories: [Misc. Pump Products](#) |

SPECIFICATIONS

| | |
|---------------|-------|
| Weight | 1 lbs |
|---------------|-------|



PRODUCT DESCRIPTION

| | |
|----------------------|---|
| For Use With | Water |
| For Reducing | Particles |
| Strainer Type | T |
| Connection Type | Pipe |
| Pipe Connection Type | Threaded |
| Pipe Size | 1 |
| Thread Type | NPT |
| Gender | Female |
| Maximum Pressure | 150 psi @ 70° F |
| Temperature Range | -40° to 125° F |
| Length | 5" |
| Height | 6 7/16" |
| Housing | |
| Material | Nylon Plastic |
| Color | Clear |
| Head | |
| Material | Polypropylene Plastic |
| Color | Black |
| Gasket Material | EPDM Rubber |
| Screen Material | 304 Stainless Steel |
| Screen Construction | Mesh |
| Screen OD | 2 15/64" |
| Screen Length | 4 15/64" |
| Screen Mesh Size | 80 |
| RoHS | RoHS 3 (2015/863/EU) Compliant |
| REACH | REACH (EC 1907/2006) (06/10/2022, 224 SVHC) Compliant |
| DFARS | Specialty Metals COTS-Exempt |
| Country of Origin | United States |
| USMCA Qualifying | No |
| Schedule B | 842129.0065 |
| ECCN | EAR99 |

Clean out your strainer less often—these T-strainers have high debris-holding capacity. Install them prior to valves, pumps, and nozzles to protect sensitive equipment. Strainers have a nylon or polypropylene housing for excellent corrosion resistance.

Clear strainers allow you to monitor debris collecting in the screen without disconnecting your pipeline.

RELATED PRODUCTS



**Suction Strainer
for Pumps**



**Extreme Oil
Centrifuge**



**Replacement
Thermostat**



**12V Cables with
Alligator Clamps**

Since 2009, we have been supplying portable and stationary pumps for moving all types of oil. Oil cleaning centrifuges are also important tools to re-use oil as fuel or lubricant.

Contact Us:

2121 Natomas Crossing STE 200-218

Sacramento, CA 95835

1-888-959-9311

info@alternativefuelmecca.com

