



## **SUPER HD HEAVY OIL TRANSFER PUMP 1.5HP**

SKU: gs12-1-1



**Price:** ~~\$1,285.00~~ \$1,195.00

Stationary Pump for Heavy Oil

1.5HP Motor

No handle, switch or cord.

**Categories:** [Heavy Oil Pumps](#), [Oil Transfer Pumps](#) |

### **SPECIFICATIONS**

<b>Weight</b>	50 lbs
<b>Dimensions</b>	20 x 14 x 16 in
<b>Fluid</b>	Heavy Oils like Gear Oil, Motor Oil
<b>Speed</b>	12GPM
<b>Voltage</b>	120V, 230V



## **PRODUCT DESCRIPTION**

### **Additional Specs:**

\*Dimensions: 17" long x 11" wide x 7" tall (43 cm x 28 cm x 18 cm)

\*Weight: 45lbs

\*Self Priming

\*Suction Height: 15ft

\*Push Lift Height: 90ft

\***Reversible** - Rewire or add a switch to allow dual directional flow!

\*Viton Seals

\*B100 compatible

\*Temperature Rating of 400°F

\*Duty Cycle: Continuous

\*Priming: Self priming

\*12gpm(45 liters/min): 1" NPT threaded ports, 1.25" hose barbs

\*Pump needs oil to lubricate the gears. Will not work with water.

### **Motor Specs**

\*Commercial Duty

\*Output: 1.5 HP

\*Speed: 1725 RPM

\*Volts: 120 or 220 (comes prewired for 120)

\*Amps: 12.2 @ 120 volts, 6.1 @ 220 volts

\*Hertz: 60

\*Shaft Size: 5/8"

\*Shaft Woodruff Key: 5 mm width x 5 mm deep x 16 mm length

\*Motor Base Mount: 4.5" Long x 6.56" Wide

### **Pumphead Specs**

\*Bolt Pattern: 7 mm holes on a 85 mm circle

\*Shaft Size: 14 mm keyed shaft

\*Shaft Woodruff Key: 5 mm width x 5 mm deep x 12 mm length

\*Viton Seals

\*Self Priming

\*Cast Iron

\*1" NPT Ports

\*Stainless Steel 1.25" Hose Barbs Included (fits 1.25" hose kit)

\*No Pressure Regulator

### **Coupling Specs**

\*Pump Coupling: 5/8"

\*Motor Coupling: 14 mm

\*Size: C

\*Overall Length: 1 63/64"

\*Hub Diameter: 1 23/64"

\*Bore Depth: 1 3/4"

\*Screw Size: 1/4"-20

\*Spider Element: Buna-N 27/64"

## **RELATED PRODUCTS**



[2.4 GPM Viscomat Gear Oil Transfer Pump](#)



[Oil Pump Hose Kit -  
1.25 Inch](#)



[Gear Oil Pump -  
Pumphead Only](#)



[Super HD Heavy Oil Transfer Pump](#)

Since 2009, we have been supplying portable and stationary pumps for moving all types of oil. Oil cleaning centrifuges are also important tools to re-use oil as fuel or lubricant.

**Contact Us:**

2121 Natomas Crossing STE 200-218  
Sacramento, CA 95835  
1-888-959-9311  
[info@alternativefuelmecca.com](mailto:info@alternativefuelmecca.com)

