





TYPE DC - ALUMINUM CAMLOCK COUPLING

SKU: DC050-AL



Price: \$10.00 – \$12.00


Select Options & Add to cart

- Type DC Coupler - Aluminum Cam & Groove
- Dust Cap Female End Coupler



Categories: [Fittings](#) |



VARIATIONS

| Image | SKU | Stock Status | Stock Quantity | Description | Size | Price |
|---|----------|--------------|----------------|-------------|------|---------|
|  | DC050-AL | | | | 1" | \$10.00 |



| Image | SKU | Stock Status | Stock Quantity | Description | Size | Price |
|---|----------|--------------|----------------|-------------|-------|---------|
|  | DC050-AL | | | | 1.25" | \$11.00 |
|  | DC050-AL | | | | 1.5" | \$12.00 |

SPECIFICATIONS

| | |
|------|-----------------|
| Size | 1", 1.25", 1.5" |
|------|-----------------|

PRODUCT DESCRIPTION

Dust Caps (DC) can be used with type A, Type E and Type F adapters to seal the end of the connection.

Product Description:

- The Type DC is a Female Coupler x Dust Cap. (**Sealed on one side**)

How To Use:

- To connect, slide the Type DC Coupler over a Male Adapter and then close the two cam lever arms.
- To disconnect, lift up the cam handles and uncouple the two fittings.

To Install:

- Slide the Female Cam & Groove Dust Cap onto a Male Adapter and then close the two cam arms.

Will Connect with:

- The coupler portion will couple with a **Male Adapter**.

Used for:

- Installing a Female Cam & Groove End Cap onto a Male Adapter to prevent dust and contaminants from entering.
- Connecting with a Male Adapter of identical size.

Sizes:


- This Aluminum Coupler is offered in sizes starting from 1/2" all the way up to 8".

Material of Construction:

- Constructed out of Aluminum.
- For other materials scroll down to "**Related Products**".

Dimensions:

Dust Cap Dimensions



| Size(mm) | 3/4' | 1' | 1-1/4' | 1-1/2' | 2' | 2-1/2' | 3' | 4' | 5' | 6' |
|----------|------|------|--------|--------|------|--------|------|-------|-----|-------|
| B | 34 | 42.5 | 48.5 | 48.5 | 54 | 58 | 61.5 | 63.5 | 66 | 68 |
| E | 32.4 | 37.3 | 46 | 54 | 63.8 | 76.5 | 92.2 | 120.2 | 146 | 176.5 |

Specifications:

Size
Part Number
Material
Handles
Gasket
Thread

More Information

1" to 1.5"
 Type DC
 Aluminum
 Stainless Steel 304
 Buna N
 Female End Cap

RELATED PRODUCTS



Type C - Aluminum Cam Locks



Type E - Aluminum Camlocks



Type F - Aluminum Camlocks



Type DP - Aluminum Camlock Coupling

Since 2009, we have been supplying portable and stationary pumps for moving all types of oil. Oil cleaning centrifuges are also important tools to re-use oil as fuel or lubricant.

Contact Us:

2121 Natomas Crossing STE 200-218



Alternative Fuel Mecca

2121 Natomas Crossing STE 200-218
Sacramento, CA 95835
1-888-959-9311

info@alternativefuelmecca.com

Sacramento, CA 95835
1-888-959-9311
info@alternativefuelmecca.com

